

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,595,192 B2
APPLICATION NO. : 10/524738
DATED : September 29, 2009
INVENTOR(S) : Steffen Goletz, Hans Baumeister and Ute Schöber

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title page, item (73), the Assignee reads: "Glycotype GmbH", and should read
-- Glycotope GmbH --.

IN THE CLAIMS:

In claim 1, column 33, line 24, change "41.2° C." to -- 41.2° C --.

In claim 2, column 33, line 29, change "with lysate" to -- with the lysate --.

In claim 9, column 33, line 40, change "45° C." to -- 45° C --.

In claim 10, column 33, line 43, change "45° C." to -- 45° C --.

In claim 11, column 33, line 46, change "45.5° C." to -- 45.5° C --.

In claim 12, column 33, line 49, change "45.5° C." to -- 45.5° C --.

In claim 21, column 34, line 4, change "41.2° C." to -- 41.2° C --.

In claim 23(a), column 34, line 10, change "41.2° C." to -- 41.2° C --.

In claim 23(a), column 34, line 12, change "41.2° C." to -- 41.2° C --.

In claim 23(b), column 34, line 15, change "41.2° C." to -- 41.2° C --.

In claim 23(b), column 34, line 17, change "C." to -- C --.

In claim 24(a), column 34, line 19, change "45° C." to -- 45° C --.

In claim 24(a), column 34, line 20, change "55° C." to -- 55° C --.

In claim 24(a), column 34, line 22, change "45° C." to -- 45° C --.

In claim 24(a), column 34, line 23, change "55° C.;" to -- 55° C; --.

In claim 24(b), column 34, line 25, change "45° C. to 55° C." to -- 45° C to 55° C --.

In claim 24(b), column 34, line 27, change "45° C." to -- 45° C --.

In claim 25(a), column 34, line 29, change "45° C." to -- 45° C --.

In claim 25(a), column 34, line 30, change “47.5° C.” to -- 47.5° C --.

In claim 25(a), column 34, line 32, change “45° C.” to -- 45° C --.

In claim 25(a), column 34, line 33, change “47.5° C.,” to -- 47.5° C; --.

In claim 25(b), column 34, line 35, change “45° C. to 47.5° C.” to -- 45° C to 47.5° C --.

In claim 25(b), column 34, line 37, change “45° C.” to -- 45° C --.

In claim 27, column 34, line 43, change “45° C. to 55° C.” to -- 45° C to 55° C --.

In claim 28, column 34, line 49, change “C. to 55° C.” to -- C to 55° C --.

In claim 29, column 34, line 53, change “45.5° C. to 47° C.,” to -- 45.5° C to 47° C, --.

In claim 30, column 34, line 59, change “45.5° C. to 47° C.” to -- 45.5° C to 47° C --.

In claim 31, column 34, line 62, change “41.2° C.” to -- 41.2° C --.

In claim 32, column 34, line 66, change “41.2° C.” to -- 41.2° C --.

In claim 33, column 35, line 4, change “41.2° C.” to -- 41.2° C --.

In claim 34, column 35, line 8, change “41.2° C.” to -- 41.2° C --.

In claim 35(a), column 35, line 13, change “42.4° C.” to -- 42.4° C --.

In claim 36, column 35, line 20, change “42.4° C.” to -- 42.4° C --.

In claim 38, column 36, line 6, change “42.4° C.” to -- 42.4° C --.


In claim 39(a), column 36, line 9, change “42.4° C.” to -- 42.4° C --.

In claim 39(a), column 36, line 12, change “42.4° C.,” to -- 42.4° C; --.

In claim 39(b), column 36, line 15, change “42.4° C.” to -- 42.4° C --.

Signed and Sealed this

Twenty-sixth Day of January, 2010

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, flowing style.

David J. Kappos
Director of the United States Patent and Trademark Office